



NORDEX

Nordex is a soil improver. When used at every stage of plant development, it is a special content support product that increases productivity and quality.

It improves the organic substance structure of the soil.

It is suitable for dripping and foliar use. When used in drip form, it supports plant growth and provides standard fruit formation. When used from the leaf, it increases the fruit quality and gives brightness.

USAGE

PLANT	PERIOD	THROUGH SOIL (drip irrigation)	THROUGH THE LEAF
Greenhouse and Open Field Vegetables (Tomatoes, peppers, eggplants, cucumbers, strawberries, etc.)	15-20-day intervals after the first fruit	1-3 kg/da	200-250 gr in 100 L of water
Winter vegetables with edible leaves (cauliflower, leek, spinach, lettuce, curly lettuce, iceberg lettuce, etc.)	With an interval of 15-20 days from the period when it has 3-4 leaves	1-3 kg/da	200-250 gr in 100 L of water
Tubers (Onions, Garlic, Potatoes, etc.) Melons, Watermelons, Pumpkins	Beginning from the 4-6 leaf stage and with 15-20-day intervals after the first fruits	1-3 kg/da	200-250 gr in 100 L of water
All Fruit Trees (Apples, Pears, Peaches, Apricots, Quinces, Cherries, Almonds, Grapes, Hazelnut, Citrus, Olives, Plums, etc.)	2 or 3 times with the start of flourishing	2-4 kg/da	200-250 gr in 100 L of water
Industrial Crops (Cotton, Sunflower, etc.)	With an interval of 15-20 days starting from the 5-6 leaf period	1-3 kg/da	200-250 gr in 100 L of water
All Legume (chickpeas, beans, lentils, soy, sunflower, etc.)	In the 5-6 leaf period and 15-20 days later	1-3 kg/da	200-250 gr in 100 L of water
Grains (wheat, barley, paddy, etc.)	In the tillering period	1-3 kg/da	200-250 gr in 100 L of water
Green Fields	During the flourishing period	1-3 kg/da	200-250 gr in 100 L of water